

Regulating the Stressed Brain with Integrative Nutrition and Lifestyle Modification - References

Note about pictures in the presentation

Pictures were taken from sources that allow reproduction (i.e., Wikipedia and Unsplash). All non-cited pictures were legally purchased.

*Many of the listed references are review articles, and so many of the primary references were not directly cited in this presentation.

1. Zubin J, Spring B. Vulnerability: A new view of schizophrenia. *Journal of Abnormal Psychology*. 1977;86(2):103-126. doi:10.1037/0021-843x.86.2.103
2. Sterling P, Eyer J. Allostasis: A new paradigm to explain arousal pathology. In: Fisher S, Reason J, eds. *Handbook of Life Stress, Cognition and Health*. New York, NY: John Wiley & Sons; 1988;629-649.
3. Mcewen BS. Stress, adaptation, and disease: Allostasis and allostatic load. *Annals of the New York Academy of Sciences*. 1998;840(1):33-44. doi:10.1111/j.1749-6632.1998.tb09546.x
4. Schetter CD, Dolbier C. Resilience in the Context of Chronic Stress and Health in Adults. *Social and Personality Psychology Compass*. 2011;5(9):634-652. doi:10.1111/j.1751-9004.2011.00379.x
5. Mah L, Szabuniewicz C, Fiocco AJ. Can anxiety damage the brain?. *Current Opinion in Psychiatry*. 2016;29(1):56-63. doi:10.1097/YCO.0000000000000223
6. Mcewen BS, Stellar E. Stress and the individual. Mechanisms leading to disease. *Archives of Internal Medicine*. 1993;153(18):2093-2101. doi:10.1001/archinte.153.18.2093
7. Mcewen BS, Getz L. Lifetime experiences, the brain and personalized medicine: An integrative perspective. *Metabolism*. 2013;62. doi:10.1016/j.metabol.2012.08.020
8. Prousky J. The manifestations and triggers of mental breakdown, and its effective treatment by increasing stress resilience with psychosocial strategies, therapeutic lifestyle changes, and orthomolecular interventions. *Journal of Orthomolecular Medicine*. 2013;28(3):111-130.
9. Mcewen BS. Protective and damaging effects of stress mediators. *New England Journal of Medicine*. 1998;338(3):171-179. doi:10.1056/nejm199801153380307
10. Mcewen BS, Gianaros PJ. Stress- and allostasis-induced brain plasticity. *Annual Review of Medicine*. 2011;62(1):431-445. doi:10.1146/annurev-med-052209-100430
11. Pittman CM. *Rewire Your Anxious Brain*. Oakland, CA: New Harbinger Publications. Kindle Edition. 2015.
12. LeDoux JE. *Synaptic Self: How Our Brains Become Who We Are*. New York, NY: Viking. 2002.

13. Admon R, Lubin G, Stern O, et al. Human vulnerability to stress depends on amygdala's predisposition and hippocampal plasticity. *Proceedings of the National Academy of Sciences*. 2009;106(33):14120-14125. doi:10.1073/pnas.0903183106
14. Godsil BP, Kiss JP, Spedding M, Jay TM. The hippocampal–prefrontal pathway: The weak link in psychiatric disorders? *European Neuropsychopharmacology*. 2013;23(10):1165-1181. doi:10.1016/j.euroneuro.2012.10.018
15. McEwen BS. The neurobiology of stress: From serendipity to clinical relevance. *Brain Research*. 2000;886(1-2):172-189. doi:10.1016/s0006-8993(00)02950-4
16. Ozawa CR, Ho JJ, Tsai DJ, Ho DY, Sapolsky RM. Neuroprotective potential of a viral vector system induced by a neurological insult. *Proceedings of the National Academy of Sciences*. 2000;97(16):9270-9275. doi:10.1073/pnas.160503997
17. Baumeister RF. Free will in scientific psychology. *Perspectives on Psychological Science*. 2008;3(1):14-9. doi: 10.1111/j.1745-6916.2008.00057.x
18. Godar SC, Fite PJ, McFarlin KM, et al. The role of monoamine oxidase A in aggression: Current translational developments and future challenges. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*. 2016; 69:90–100. doi: 10.1016/j.pnpbp.2016.01.001
19. Márquez C, Poirier GL, Cordero MI, et al. Peripuberty stress leads to abnormal aggression, altered amygdala and orbitofrontal reactivity and increased prefrontal MAOA gene expression. *Translational Psychiatry*. 2013;3(1):e216. doi: 10.1038/tp.2012.144
20. Centers for Disease Control and Prevention. Preventing adverse childhood experiences. Available at: <https://www.cdc.gov/violenceprevention/childabuseandneglect/aces/fastfact.html>. Accessed June 17, 2020.
21. Felitti VJ, Anda RF, Nordenberg D, et al. Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. *American Journal of Preventive Medicine*. 1998;14(4):245-258. doi:10.1016/s0749-3797(98)00017-8
22. Dube SR, Anda RF, Felitti VJ, et al. Childhood abuse, household dysfunction, and the risk of attempted suicide throughout the life span. *JAMA*. 2001;286(24):3089-3096. doi:10.1001/jama.286.24.3089
23. Brown DW, Anda RF, Edwards VJ, et al. Adverse childhood experiences and childhood autobiographical memory disturbance. *Child Abuse & Neglect*. 2007;31(9):961-969. doi:10.1016/j.chiabu.2007.02.011
24. Anda RF, Whitfield CL, Felitti VJ, et al. Adverse childhood experiences, alcoholic parents, and later risk of alcoholism and depression. *Psychiatric Services*. 2002;53(8):1001-1009. doi:10.1176/appi.ps.53.8.1001
25. Chapman DP, Whitfield CL, Felitti VJ, Dube SR, Edwards VJ, Anda RF. Adverse childhood experiences and the risk of depressive disorders in adulthood. *Journal of Affective Disorders*. 2004;82(2):217-225. doi:10.1016/j.jad.2003.12.013

26. Whitfield CL, Dube SR, Felitti VJ, Anda RF. Adverse childhood experiences and hallucinations. *Child Abuse & Neglect*. 2005;29(7):797-810. doi:10.1016/j.chiabu.2005.01.004
27. Lupien SJ, Parent S, Evans AC, et al. Larger amygdala but no change in hippocampal volume in 10-year-old children exposed to maternal depressive symptomatology since birth. *Proceedings of the National Academy of Sciences*. 2011;108(34):14324-14329. doi:10.1073/pnas.1105371108
28. Peverill M, Sheridan MA, Busso DS, Mclaughlin KA. Atypical prefrontal–amygdala cCircuitry following childhood exposure to abuse: Links with adolescent psychopathology. *Child Maltreatment*. 2019;24(4):411-423. doi:10.1177/1077559519852676
29. Farah MJ, Shera DM, Savage JH, et al. Childhood poverty: Specific associations with neurocognitive development. *Brain Research*. 2006;1110(1):166-174. doi:10.1016/j.brainres.2006.06.072
30. Danese A, McEwen BS. Adverse childhood experiences, allostasis, allostatic load, and age-related disease. *Physiology & Behavior*. 2012;106(1):29-39. doi:10.1016/j.physbeh.2011.08.019
31. Holt-Lunstad J, Smith TB, Baker M, et al. Loneliness and social isolation as risk factors for mortality. *Perspectives on Psychological Science*. 2015;10(2):227-237. doi:10.1177/1745691614568352
32. Cacioppo JT, Hawkley LC. Social Isolation and health, with an emphasis on underlying mechanisms. *Perspectives in Biology and Medicine*. 2003;46(3 Suppl):S39-S52. doi:10.1353/pbm.2003.0063
33. Canli T. Functional brain mapping of extraversion and neuroticism: Learning from individual differences in emotional processing. *Journal of Personality*. 2004;72(6):1105-1132. doi: 10.1111/j.1467-6494.2004.00292.x
34. Grossardt BR, Bower JH, Geda YE, et al. Pessimistic, anxious, and depressive personality traits predict all-cause mortality: The Mayo Clinic cohort study of personality and aging.
35. Golkar A, Johansson E, Kasahara M, Osika W, Perski A, Savic I. The influence of work-related chronic stress on the regulation of emotion and on functional connectivity in the brain. *PLoS One*. 2014;9(9):e104550. Published 2014 Sep 3. doi:10.1371/journal.pone.0104550
36. Bevens M, Sternberg EM. Caregiving burden, stress, and health effects among family caregivers of adult cancer patients. *JAMA*, 2012;307(4):398–403. <https://doi.org/10.1001/jama.2012.29>
37. Adam TC, Hasson RE, Ventura EE, et al. Cortisol Is Negatively Associated with Insulin Sensitivity in Overweight Latino Youth. *Journal of Clinical Endocrinology & Metabolism*, 2010;95(10):4729-4735. doi: 10.1210/jc.2010-0322
38. Salleh MR. Life event, stress and illness. *Malaysian Journal of Medical Sciences*. 2008;15(4):9-18. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3341916/pdf/mjms-15-4-009.pdf>. Accessed July 17, 2020.
39. Liu Y-Z, Wang Y-X, Jiang C-L. Inflammation: The common pathway of stress-related diseases. *Frontiers in Human Neuroscience*. 2017;11:316. doi:10.3389/fnhum.2017.00316

40. Peters A, McEwen BS, Friston K. Uncertainty and stress: Why it causes diseases and how it is mastered by the brain. *Progress in Neurobiology*. 2017;156:164-188. doi:10.1016/j.pneurobio.2017.05.004
41. Patriquin MA, Mathew SJ. The Neurobiological Mechanisms of Generalized Anxiety Disorder and Chronic Stress. *Chronic Stress*. 2017;1:1-10. doi:10.1177/2470547017703993
42. Sharpley CF. Neurobiological pathways between chronic Stress and depression: Dysregulated adaptive mechanisms? *Clinical Medicine Insights: Psychiatry*. 2009;2:33-45. doi:10.4137/cmpsy.s3658
43. Kapfhammer H-P. Acute And long-term mental And physical sequelae In the aftermath of traumatic exposure – some remarks on “The Body Keeps The Score.” *Psychiatria Danubina*. 2018;30(3):254-272. doi:10.24869/psyd.2018.254
44. van der Kolk BA. The Body Keeps the Score: Memory and the Evolving Psychobiology of Posttraumatic Stress. *Harvard Review of Psychiatry*. 1994;1(5):253-265. doi:10.3109/10673229409017088
45. Herpertz SC, Bertsch K. A new perspective on the pathophysiology of borderline personality disorder: A model of the role of oxytocin. *American Journal of Psychiatry*. 2015;172(9):840-851. doi:10.1176/appi.ajp.2015.15020216
46. Heeringen KV, Mann JJ. The neurobiology of suicide. *The Lancet Psychiatry*. 2014;1(1):63-72. doi:10.1016/s2215-0366(14)70220-2
47. Lopresti AL. The Effects of Psychological and Environmental Stress on Micronutrient Concentrations in the Body: A Review of the Evidence. *Adv Nutr*. 2020;11(1):103-112. doi:10.1093/advances/nmz082
48. Ames BN. Prolonging healthy aging: Longevity vitamins and proteins. *Proc Natl Acad Sci U S A*. 2018;115(43):10836-10844. doi:10.1073/pnas.1809045115
49. Carroll D, Ring C, Suter M, Willemsen G. The effects of an oral multivitamin combination with calcium, magnesium, and zinc on psychological well-being in healthy young male volunteers: a double-blind placebo-controlled trial. *Psychopharmacology (Berl)*. 2000;150(2):220-225. doi:10.1007/s002130000406
50. Schlebusch L, Bosch BA, Polglase G, Kleinschmidt I, Pillay BJ, Cassimjee MH. A double-blind, placebo-controlled, double-centre study of the effects of an oral multivitamin-mineral combination on stress. *S Afr Med J*. 2000;90(12):1216-1223.
51. Kennedy DO, Veasey R, Watson A, et al. Effects of high-dose B vitamin complex with vitamin C and minerals on subjective mood and performance in healthy males. *Psychopharmacology (Berl)*. 2010;211(1):55-68. doi:10.1007/s00213-010-1870-3
52. Stough C, Scholey A, Lloyd J, Spong J, Myers S, Downey LA. The effect of 90 day administration of a high dose vitamin B-complex on work stress. *Hum Psychopharmacol*. 2011;26(7):470-476. doi:10.1002/hup.1229
53. Lewis JE, Tiozzo E, Melillo AB, et al. The effect of methylated vitamin B complex on depressive and anxiety symptoms and quality of life in adults with depression. *ISRN Psychiatry*. 2013;2013:621453. Published 2013 Jan 21. doi:10.1155/2013/621453

54. Rucklidge JJ, Andridge R, Gorman B, Blampied N, Gordon H, Boggis A. Shaken but unstirred? Effects of micronutrients on stress and trauma after an earthquake: RCT evidence comparing formulas and doses. *Hum Psychopharmacol*. 2012;27(5):440-454. doi:10.1002/hup.2246
55. Kaplan BJ, Rucklidge JJ, Romijn AR, Dolph M. A randomised trial of nutrient supplements to minimise psychological stress after a natural disaster. *Psychiatry Res*. 2015;228(3):373-379. doi:10.1016/j.psychres.2015.05.080
56. Albert PR, Vahid-Ansari F, Luckhart C. Serotonin-prefrontal cortical circuitry in anxiety and depression phenotypes: pivotal role of pre- and post-synaptic 5-HT1A receptor expression. *Frontiers in Behavioral Neuroscience*. 2014;8. doi:10.3389/fnbeh.2014.00199
57. Harmer CJ, Duman RS, Cowen PJ. How do antidepressants work? New perspectives for refining future treatment approaches. *The Lancet Psychiatry*. 2017;4(5):409-418. doi:10.1016/s2215-0366(17)30015-9
58. Frizzo ME. Can a Selective Serotonin Reuptake Inhibitor Act as a Glutamatergic Modulator? *Current Therapeutic Research, Clinical and Experimental*. 2017;87:9-12. doi:10.1016/j.curtheres.2017.07.001
59. Birdsall TC. 5-Hydroxytryptophan: a clinically-effective serotonin precursor. *Alternative Medicine Review*. 1998;3(4):271-280. Available at: <http://archive.foundationalmedicinereview.com/publications/3/4/271.pdf>. Accessed July 27, 2020.
60. Jangid P, Malik P, Singh P, et al. Comparative study of efficacy of L-5-hydroxytryptophan and fluoxetine in patients presenting with first depressive episode. *Asian Journal of Psychiatry*. 2013;6(1):29-34. doi:10.1016/j.ajp.2012.05.011
61. Veronese N, Stubbs B, Solmi M, et al. Acetyl-L-Carnitine supplementation and the treatment of depressive symptoms: A systematic review and meta-analysis. *Psychosomatic Medicine*. 2018;80(2):154-159. doi:10.1097/PSY.0000000000000537
62. Nasca C, Bigio B, Lee FS, et al. Acetyl-L-carnitine deficiency in patients with major depressive disorder. *Proceedings of the National Academy of Sciences*. 2018;115(34):8627-8632. doi:10.1073/pnas.1801609115
63. Alpert JE, Papakostas G, Mischoulon D, et al. S-Adenosyl-L-Methionine (SAME) as an Adjunct for Resistant Major Depressive Disorder. *Journal of Clinical Psychopharmacology*. 2004;24(6):661-664. doi:10.1097/01.jcp.0000145339.45794.cd
64. Sarris J, Papakostas GI, Vitolo O, et al. S-adenosylmethionine (SAME) versus escitalopram and placebo in major depression RCT: Efficacy and effects of histamine and carnitine as moderators of response. *Journal of Affective Disorders*. 2014;164:76-81. doi:10.1016/j.jad.2014.03.041
65. Hidese S, Ota M, Wakabayashi C, et al. Effects of chronic L-theanine administration in patients with major depressive disorder: an open-label study. *Acta Neuropsychiatr*. 2017;29(2):72-79. doi:10.1017/neu.2016.33
66. Preskorn SH. A Way of conceptualizing benzodiazepines to guide clinical use. *Journal of Psychiatric Practice*. 2015;21(6):436-441. doi:10.1097/PRA.0000000000000114

67. Heberlein A, Bleich S, Kornhuber J, et al. Neuroendocrine pathways in benzodiazepine dependence: new targets for research and therapy. *Human Psychopharmacology*. 2008;23(3):171-181. doi:10.1002/hup.911
68. Babaev O, Piletti Chatain C, Krueger-Burg D. Inhibition in the amygdala anxiety circuitry. *Experimental & Molecular Medicine*. 2018;50(4):18. doi:10.1038/s12276-018-0063-8
69. Prousky J. Niacinamide's potent role in alleviating anxiety with its benzodiazepine-like properties: a case report. *Journal of Orthomolecular Medicine*. 2004;19(2):104-110. Available at: https://isom.ca/wp-content/uploads/2020/01/JOM_2004_19_2_06_Niacinamide%E2%80%99s_Potent_Role_in_Alleviating_Anxiety-.pdf. Accessed July 26, 2020.
70. Prousky J. Supplemental niacinamide mitigates anxiety symptoms: report of three cases. *Journal of Orthomolecular Medicine*, 2005;20(3):167-178. Available at: https://isom.ca/wp-content/uploads/2020/02/JOM_2005_20_3_02_Supplemental_Niacinamide_Mitigates_Anxiety_Symptoms-.pdf. Accessed July 26, 2020.
71. Ritsner MS, Miodownik C, Ratner Y, et al. L-theanine relieves positive, activation, and anxiety symptoms in patients with schizophrenia and schizoaffective disorder: An 8-week, randomized, double-blind, placebo-controlled, 2-center study. *Journal of Clinical Psychiatry*. 2011;72(1):34-42. doi:10.4088/JCP.09m05324gre
72. Hidese S, Ogawa S, Ota M, et al. Effects of L-theanine administration on stress-related symptoms and cognitive functions in healthy adults: A randomized controlled trial. *Nutrients*. 2019;11(10):2362. doi:10.3390/nu11102362
73. Lopes Sakamoto F, Metzker Pereira Ribeiro R, Amador Bueno A, Oliveira Santos H. Psychotropic effects of L-theanine and its clinical properties: From the management of anxiety and stress to a potential use in schizophrenia. *Pharmacological Research*. 2019;147:104395. doi:10.1016/j.phrs.2019.104395
74. Zeidan F, Martucci KT, Kraft RA, McHaffie JG, Coghill RC. Neural correlates of mindfulness meditation-related anxiety relief. *Soc Cogn Affect Neurosci*. 2014;9(6):751-759. doi:10.1093/scan/nst041
75. Chen YF, Huang XY, Chien CH, Cheng JF. The Effectiveness of Diaphragmatic Breathing Relaxation Training for Reducing Anxiety. *Perspect Psychiatr Care*. 2017;53(4):329-336. doi:10.1111/ppc.12184
76. Sharma A, Madaan V, Petty FD. Exercise for mental health. *Prim Care Companion J Clin Psychiatry*. 2006;8(2):106. doi:10.4088/pcc.v08n0208a
77. Rahman, M. Z., El Werfall, i R., Lehmann-Waldau, F. (2017). Current evidence and use of physical activity in the treatment of mental illness: A literature review. *Deutsche Zeitschrift für Sportmedizin*. 68, 93-100. doi:10.5960/dzsm.2017.279. Available at: https://www.germanjournalsportsmedicine.com/fileadmin/content/archiv2017/Heft_4/Review_Rahman_Physical_Activity_Treatment_Mental_Illness_2017-04.pdf

78. Erickson KI, Voss MW, Prakash RS, et al. Exercise training increases size of hippocampus and improves memory. *Proc Natl Acad Sci U S A*. 2011;108(7):3017-3022. doi:10.1073/pnas.1015950108
79. Sabourin BC, Stewart SH, Watt MC, Krigolson OE. Running as Interoceptive Exposure for Decreasing Anxiety Sensitivity: Replication and Extension. *Cogn Behav Ther*. 2015;44(4):264-274. doi:10.1080/16506073.2015.1015163.
80. Stahl SM. Psychotherapy as an epigenetic 'drug': psychiatric therapeutics target symptoms linked to malfunctioning brain circuits with psychotherapy as well as with drugs. *J Clin Pharm Ther*. 2012;37(3):249-253. doi:10.1111/j.1365-2710.2011.01301.x
81. Linden DE. How psychotherapy changes the brain--the contribution of functional neuroimaging. *Molecular Psychiatry*. 2006;11(6):528-538. doi:10.1038/sj.mp.4001816
82. Linden DE. Brain imaging and psychotherapy: Methodological considerations and practical implications. *European Archives of Psychiatry and Clinical Neuroscience*. 2008;258 Suppl 5:71-75. doi:10.1007/s00406-008-5023-1
83. Claudino FCA, Gonçalves L, Schuch FB, et al. The effects of individual psychotherapy in BDNF Levels of patients with mental disorders: A systematic review. *Frontiers in Psychiatry*. 2020;11:445. doi:10.3389/fpsyt.2020.00445
84. Buchheim A, Viviani R, Kessler H, et al. Changes in prefrontal-limbic function in major depression after 15 months of long-term psychotherapy. *PLoS One*. 2012;7(3):e33745. doi:10.1371/journal.pone.0033745
85. Carlson MC, Saczynski JS, Rebok GW, et al. Exploring the effects of an "everyday" activity program on executive function and memory in older adults: Experience Corps. *Gerontologist*. 2008;48(6):793-801. doi:10.1093/geront/48.6.793
86. Carlson MC, Erickson KI, Kramer AF, et al. Evidence for neurocognitive plasticity in at-risk older adults: The experience corps program. *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*. 2009;64(12):1275-1282. doi:10.1093/gerona/glp117
87. Holt-Lunstad J. Why social relationships are important for physical health: A systems approach to understanding and modifying risk and protection. *Annual Review of Psychology*. 2018;69:437-458. doi:10.1146/annurev-psych-122216-011902